

Atty. Docket No. JP9-1999-0308US1
(590.047)

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1. **(Currently Amended)** A compiler for converting source code for a program written in a programming language into an object program written in a machine language comprising:

an optimization execution unit for performing optimization of said object program written in said machine language; and

a program modification unit for, before said optimization process is performed by said optimization execution unit, modifying said object program to provide a form that is appropriate for said optimization,

wherein, when said object program includes a branch into a series of paths, said program modification unit selects at said branch a specific path to extract, relative to said branch, ~~a~~ from the series of paths such that the series of paths are not merged.

2. **(Original)** The compiler according to claim 1, wherein said optimization execution unit performs said optimization for said paths that are extracted by said program modification unit.

3. **(Original)** The compiler according to claim 1, wherein, when differences in

Atty. Docket No. JP9-1999-0308US1
(590.047)

execution frequencies depend on a plurality of paths at said branch in said object program, said program modification unit selects a path having a higher execution frequency, and relative to said branch, extracts a series of paths that are not merged.

4. **(Original)** A compiler, for converting source code for a program written in a programming language into an object program in a machine language, comprising:

a path determiner, for selecting, when said object program in said machine language includes a branch, a specific path at said branch for determining a series of target paths for optimization;

a control flow graph modification unit, for modifying a control flow graph for said object program to separate said optimized target paths from other paths; and

an optimization execution unit for employing said control flow graph obtained by said control flow graph modification unit to perform optimization of said optimization target paths.

5. **(Original)** The compiler according to claim 4, wherein said control flow graph modification unit extracts said optimization target paths from said control flow graph for said object program, and defines said optimization target paths as paths that, relative to said branch, are not to be merged; and copies path segments that are included in said optimization target paths and connects said copies of said path segments to paths other than those for said optimization target paths, thereby separating said control flow graph into said optimization target paths and into paths that are formed using said copies

Atty. Docket No. JP9-1999-0308US1
(590.047)

of said path segments and said paths that are not included in said optimization target paths.

6. **(Original)** The compiler according to claim 5, wherein, from among the paths included in said optimization target paths, said control flow graph modification unit copies path segments at locations other than those whereat said object program branches into a plurality of paths, and connects the copies of said path segments to said paths that are not included in said optimization target paths.

7. **(Original)** A computer system that includes a compiler, for converting source code for a program written in a programming language into an object program in a machine language, comprising:

a path determiner, for selecting, when said object program in said machine language includes a branch, a specific path at said branch for determining a series of target paths for optimization;

a control flow graph modification unit, for modifying a control flow graph for said object program to separate said optimized target paths from other paths; and

an optimization execution unit for employing said control flow graph obtained by said control flow graph modification unit to perform optimization of said optimization target paths.

8. **(Original)** An optimization method, for performing optimization to improve process efficiency of a program, comprising the steps of:

Atty. Docket No. JP9-1999-0308US1
(590.047)

selecting, when a program includes a branch, a specific path at said branch for determining a series of target paths for optimization;

modifying a control flow graph for said program to separate said optimized target paths from other sub-paths; and

employing said control flow graph obtained by said control flow graph modification unit to perform optimization of said optimization target paths.

9. (Original) The optimization method according to claim 8, wherein said step of modifying said control flow graph includes steps of:

copying all optimization target paths, for a sub-path that is led to an optimization target path, that can be reached from a point whereto said sub-path is led;

copying all the paths that extend from said point whereto said sub-path is led to the copied paths;

changing the connections of all the edges of said optimization target path from said sub-path to the connections for said copied paths;

changing, when there is an edge that externally flows to said optimization target path and when said edge is said edge of said sub-path, the connection of said edge connecting said edge to said copied paths; and

forming a merging point, consisting of a first block at a starting point for said edge and a second block along a copied path that corresponds to said first block, and

Atty. Docket No. JP9-1999-0308US1
(590.047)

replacing an edge that flows out from said optimization target path with an edge from said merging point.

10. (Original) The optimization method according to claim 9, wherein, at said two steps of copying paths, the copying of a path is eliminated for a location whereat said program branches into a plurality of paths.

11. (Currently Amended) An optimization method for performing optimization in order to improve the processing efficiency of a program comprising the steps of:

when a program includes a branch into a series of paths, selecting at said branch a at least one specific path ~~from which~~ to extract, relative to said branch, a from the series of paths such that the series of paths are not merged; and

performing optimization for said selected ~~paths that are selected~~.

12. (Original) The optimization method according to claim 11, wherein, at said step of extracting paths from said program, when differences in execution frequencies depend on a plurality of paths at said branch in said object program, a path having a higher execution frequency is selected, and a series of paths that are not merged are selected relative to said branch.

13. (Original) An optimization program for permitting a computer to perform optimization of an object program, which comprises:

Atty. Docket No. JP9-1999-0308US1
(590.047)

a process for selecting, when said object program in said machine language includes a branch, a specific path at said branch for determining a series of target paths for optimization;

a process for modifying a control flow graph for said object program to separate said optimized target paths from other sub-paths; and

a process for employing said obtained control flow graph to perform optimization of said optimization target paths.

14. (Original) A storage medium on which input means for a computer stores a computer-readable program that permits said computer to perform:

a process for selecting, when said object program in said machine language includes a branch, a specific path at said branch for determining a series of target paths for optimization;

a process for modifying a control flow graph for said object program to separate said optimized target paths from other sub-paths; and

a process for employing said obtained control flow graph to perform optimization of said optimization target paths.

15. (Original) A program transmission apparatus comprising:

storage means for storing a program that permits a computer to perform

a process for selecting, when said object program in said machine

Atty. Docket No. JP9-1999-0308US1
(590.047)

language includes a branch, a specific path at said branch for determining a series of target paths for optimization,

a process for modifying a control flow graph for said object program to separate said optimized target paths from other sub-paths, and

a process for employing said obtained control flow graph to perform optimization of said optimization target paths; and

transmission means for the reading of said program from said storage means and the transmission of said program.

16. (Original) A program storage device readable by machine, tangibly embodying a program of instructions executable by the machine to perform an optimization method for improving the processing efficiency of a program, said method comprising the steps of:

when a program includes a branch into a series of paths, selecting at said branch a at least one specific path ~~from which to extract~~, relative to said branch, a from the series of paths such that the series of paths are not merged; and

performing optimization for said selected paths ~~that are selected~~.